ORDER FOR SUPPLIES OR SERVICES								PAGE 1 OF 8				
1. CONTRACT PURCH ORDER/AGREEMENT NO. 2. DELIVERY ORDER/ DAAE 20-02-G-0009 BR40				/CALL NO.	(YYYYMMMDD)	YYYYMMMDD)		ISITION/PURCH REQUEST NO.		5. PRIORITY		
DAAE 20 - 02 - G - 0009 BR 4Q				7. ADMINIST	2004JUL08 SEE SCHEDULE MINISTERED BY (If other than 6) CODE S:			2305A	DOA4 8. DELIVERY FOB			
TACOM WARREN AMSTA-AQ-AHPA JOE CLOFT (586)753-2652 WARREN, MICHIGAN 48397-5000 EMAIL: CLOFTJ@TACOM.ARMY.MIL HTTP://CONTRACTING.TACOM.ARMY.MIL						U.S (' ATTI WARI	DCMA DETROIT U.S. ARMY TANK & AUTOMOTIVE COMMAND (TACOM) ATTN: DCMAE-GJD WARREN, MI 48397-5000					DESTINATION X OTHER (See Schedule if
9. CONTR	ACTOR			CODE	7W356	SCD: A FACIL			ELIVER TO F	ADP PT: HQ033 OB POINT BY (Date)		other) 11. X IF BUSINESS IS
	•				1		•	(Y	YYYMMMDI	D)		SMALL
			OYNAMICS LAND SY JND ROAD	YSTEMS I	INC.			SEE	SCHEDULE		SMALL	
NAME AND			HEIGHTS, MI. 48	3310-326	50			12. DI	SCOUNT TEI	RMS		DISADVANTAGED
ADDRESS	;											WOMAN-OWNED
	•						•	13. M.	AIL INVOICE	S TO THE ADDRESS	IN BLOCK	
TYPE BUSINESS: Large Business Performing in U.S. See Block 15												
14. SHIP 7				CODE		1	T WILL BE MADE		_	COD	E HQ0337	MARK ALL PACKAGES AND
SEE	SCHEDULE						S - COLUMBUS S-CO/NORTH EI			RATION		PAPERS WITH
							. BOX 182266 UMBUS OH	13218_	.2266			IDENTIFICATION NUMBERS IN
						COL	OPIDOD OII	13210	2200			BLOCKS 1 AND 2
16. TYPE	DELIVERY/ CALL	х	THIS DELIVERY ORDE	R IS ISSUED	ON ANOTHER C	GOVERNMENT AG	GENCY OR IN ACCOR	DANCE W	TTH AND SUBJE	ECT TO TERMS AND COM	NDITIONS OF ABOV	E NUMBERED CONTRACT.
OF ORDER	PURCHASE		Reference your	Oral		-	specified herein.	, D	ated	·		
			ACCEPTANCE. THE BEEN OR IS NOW M									MAY PREVIOUSLY HAVE ME.
NAME OF CONTRACTOR SIGNATURE TYPED NAME AND TITLE DATE SIGNED (YYYYMMMDD) If this box is marked, supplier must sign Acceptance and return the following number of copies:												
17. ACCOUNTING AND APPROPRIATION DATA/LOCAL USE												
CEE	SCHEDULE											
18. ITEM		СНЕ	DULE OF SUPPLIES/SI	ERVICE			20. QUANTIT	ř	21.	22. UNIT PRICE	23. AMOUNT	
							ORDERED/ ACCEPTED*		UNIT			
			HEDULE CT TYPE:									
			-Fixed-Price									
KIND OF CONTRACT:												
	S	upp.	ly Contracts and	d Price	d Orders							
	accepted by the			4. UNITED	STATES OF A		ED/				25. TOTAL	\$12,142.00
								DIFFERENCES	3			
	rdered and enci		20 HAS BEEN	BY:				CON	TRACTING/O	ORDERING OFFICER		
INSI	PECTED	R	ECEIVED A	ACCEPTEE), AND CONF(ORMS TO CONT	FRACT EXCEPT A	S NOTEI	D			
b. SIGNATURE OF AUTHORIZED GOVERNMENT REPRESENTATIVE c. DATE (YYYMMMDD) d. PRINTED NAME AND TITLE OF AUTHORIZED GOVERNMENT REPRESENTATIVE										D GOVERNMENT		
e. MAILI	NG ADDRESS (OF A	UTHORIZED GOVERN	MENT RE	PRESENTATT	VE	28. SHIP. NO.		29. D.O. VOU	CHER NO.	30. INITIALS	1
										VERHEIER CORRECT FOR		
						PARTIA	PARTIAL 32. PAID BY			33. AMOUNT V	ERIFIED CORRECT FOR	
f. TELEPHONE NUMBER g. E-MAIL ADDRESS					FINAL	FINAL						
						31. PAYMENT	31. PAYMENT			34. CHECK NUMBER		
36. I CERTIFY THIS ACCOUNT IS CORRECT AND PROPER FOR PAYMENT.					СОМЫ	COMPLETE						
a. DATE b. SIGNATURE AND TITLE OF CERTIFYING OFFICER					OFFICER	35. BILL OF LADING NO			ADING NO.			
(YYYYMMMDD)					FINAL	PARTIAL						
37. RECEIVED AT 38. RECEIVED BY (Print) 39. DATE RECEIVE (YYYYMMMDD)					40. TOTAL CO TAINERS	ON-	41. S/R ACCOUNT NUMBER 42. S/R VOU			IER NO.		

Reference No. of Document Being Continued

PIIN/SIIN DAAE20-02-G-0009/BR4Q

MOD/AMD

Page 2 of 8

Name of Offeror or Contractor: General dynamics land systems inc.

SUPPLEMENTAL INFORMATION

Delivery Order BR4Q

1. THE INSPECTION, ACCEPTANCE AND FOB ADDRESS FOR CONTRACT DAAE20-02-G-0009, DELIVERY ORDER BR4Q IS AS FOLLOWS:

GDLS/IMPERIAL VALLEY OPERATIONS 450 ATEN ROAD IMPERIAL, CALIFORNIA 92251

2. THE PRICE FOR THIS DELIVERY ORDER IS BASED ON SOLICITATION W56HzV-04-Q-1076 (REFERENCE Q-1187 DATED 2004 JUNE 16).

*** END OF NARRATIVE A 001 ***

Reference No. of Document Being Continued PIIN/SIIN DAAE20-02-G-0009/BR4Q MOD/AMD

Page 3 of 8

Name of Offeror or Contractor: General Dynamics Land Systems inc.

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	SUPPLIES OR SERVICES AND PRICES/COSTS				
0001	NSN: 4720-01-483-1063 FSCM: 19207 PART NR: 12466647-2 SECURITY CLASS: Unclassified				
0001AA	PRODUCTION QUANTITY	20	EA	\$ 607.10000	\$12,142.00
	CLIN CONTRACT TYPE: Firm-Fixed-Price NOUN: HOSE ASSEMBLY, NONME PRON: EH4RA174EH PRON AMD: 01 ACRN: AA AMS CD: 070011				
	Description/Specs./Work Statement TOP DRAWING NR: TDP 12466647-2 19207 DATE: 07-APR-2004				
	Packaging and Marking PACKAGING/PACKING/SPECIFICATIONS: SEE PACKAGING REQUIREMENTS CLAUSE LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial				
	Inspection and Acceptance INSPECTION: Origin ACCEPTANCE: Origin				
	Deliveries or Performance DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001 W56HZV4093S854 W45G19 J 1 DEL REL CD QUANTITY DEL DATE 001 20 29-DEC-2004				
	FOB POINT: Origin				
	SHIP TO: FREIGHT ADDRESS (W45G19) XR W390 RED RIVER MUNITIONS CTR HIGHWAY 82 WEST CL V TPF GATE 44 BLDG 184 TEXARKANA TX 75507-5000				
	CONTRACT/DELIVERY ORDER NUMBER DAAE20-02-G-0009/BR4Q				
0002	FSCM: 19207 PART NR: 12466647-2 SECURITY CLASS: Unclassified				

Reference No. of Document Being Continued PIIN/SIIN DAAE20-02-G-0009/BR4Q MOD/AMD

Page 4 of 8

Name of Offeror or Contractor: General Dynamics Land Systems inc.

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
0002AA	"UNEXERCISED" OPTION QUANTITY	20	EA	\$ 607.10000	\$12,142.00
	NOUN: HOSE ASSEMBLY, NONME				
	OPTION QUANTITY, PURSUANT TO SECTION H OR I CLAUSE ENTITLED OPTION FOR INCREASED QUANTITY SEPARATELY PRICED LINE ITEM				
	The quantity stated for the option CLIN DOES NOT Form a part of the basic contractual quantity. Part or all of it may, however, be added to the contract by exercise of the option clause, at the discretion of the Government.				
	(End of narrative B001)				
	Description/Specs./Work Statement TOP DRAWING NR: TDP 12466647-2 19207 DATE: 07-APR-2004				
	Packaging and Marking PACKAGING/PACKING/SPECIFICATIONS: SEE PACKAGING REQUIREMENTS CLAUSE LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial				
	Inspection and Acceptance INSPECTION: Origin ACCEPTANCE: Origin				
	Deliveries or Performance DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001 DEL REL CD QUANTITY DEL DATE 001 20 UNDEFINITIZED				
	FOB POINT: Origin				
	SHIP TO: PARCEL POST ADDRESS (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.				
	CONTRACT/DELIVERY ORDER NUMBER DAAE20-02-G-0009/BR4Q				

CONTINUATION SHEET		Refe	Page 5 of 8							
CONTINUATION SHEET				PIIN/SIIN DAAE20-02-G-0009/BR4Q			MOD/AMD			
Name	of Offeror or	Contractor	GENERAL DY	NAMICS LAND SYS	TEMS IN	C.				
CONTRAC	T ADMINISTRA	TION DATA								
LINE	PRON/ AMS CD/	OBLG					JOB ORDER	ACCOUNTI	NG.	OBLIGATED
ITEM	MIPR	ACRN STAT	ACCOUNTING	CLASSIFICATION			NUMBER	STATION		AMOUNT
0001AA	EH4RA174EH 070011	AA 2	97 X4930A	C6D 6D	26FB	S20113		W56HZV	\$	12,142.00
								TOTAL	\$	12,142.00
SERVICE							ACCOU			OBLIGATED
NAME Army	TOTA	AA	ACCOUNTING 97 X4930A	CLASSIFICATION C6D 6D	26FB	S20113	<u>STATI</u> W56HZ		\$ _	<u>AMOUNT</u> 12,142.00
								TOTAL	\$	12,142.00

Reference No. of Document Being Continued

PIIN/SIIN DAAE20-02-G-0009/BR4Q

MOD/AMD

Page 6 of 8

Name of Offeror or Contractor: General Dynamics Land Systems inc.

CONTRACT CLAUSES

Regulatory Cite Title Date

52.211-4517 PACKAGING REQUIREMENTS (COMMERCIAL) MAR/2004

(a) The preservation, packing, and marking requirements for this contract/order shall be accomplished in accordance with the performance requirements defined herein. The following Packaging requirements shall apply:

LEVEL OF PRESERVATION: Commercial

LEVEL OF PACKING: Commercial

QUANTITY PER UNIT PACKAGE: 001

- (1) Packaging: Preservation, packaging, packing, unitization and marking furnished by the supplier shall provide protection for a minimum of one year and meet or exceed the following requirements. It also provides for multiple handling, redistribution and shipment by any mode.
- (2) Cleanliness: Items shall be free of dirt and other contaminants which would contribute to the deterioration of the item or which would require cleaning by the customer prior to use. Coatings and preservatives applied to the item for protection are not considered contaminants.
- (3) Preservation: Items susceptible to corrosion or deterioration shall be provided protection by means of preservative coatings, volatile corrosion inhibitors, desiccants, waterproof and/or watervaporproof barriers.
- (4) Cushioning: Items requiring protection from physical and mechanical damage (e.g. fragile, sensitive, material critical) or which could cause physical damage to other items, shall be protected by wrapping, cushioning, pack compartmentalization, or other means to mitigate shock and vibration to prevent damage during handing and shipment.
- (b) Unit Package: A unit package shall be so designed and constructed that it will contain the contents with no damage to the item(s), and with minimal damage to the unit pack during shipment and storage in the shipping container, and will allow subsequent handling. The outermost component of a unit package shall be a container such as a sealed bag, carton or box.

(c) Unit Package Quantity: Unless otherwise specified, the unit package quantity shall be one each part, set, assembly, kit, etc.

- (d) Intermediate Package: Intermediate packaging is required whenever one or more of the following conditions exists:
 - (1) The quantity is over one (1) gross of the same national stock number,
 - (2) Use enhances handling and inventorying,
 - (3) The exterior surfaces of the unit pack is a bag of any type, regardless of size,
 - (4) The unit pack is less than 64 cubic inches,
 - (5) The weight of the unit pack is under five (5) pounds and no dimension is over twelve (12) inches.

Intermediate containers shall be limited to a maximum of 100 unit packs, a net load of 40 pounds, or a maximum volume of 1.5 cubic feet, whichever occurs first.

- (e) Packing:
- (1) Unit packages and intermediate packages not meeting the requirements for a shipping container shall be packed in shipping containers. All shipping containers shall be the most cost effective and shall be of minimum cube to contain and protect the items.
- (2) Shipping Containers: The shipping container (including any necessary blocking, bracing, cushioning, or waterproofing) shall comply with the regulations of the carrier used and shall provide safe delivery to the destination at the lowest tariff cost. The shipping container shall be capable of multiple handling, stacking at least ten feet high, and storage under favorable conditions (such as enclosed facilities) for a minimum of one year.
- (f) Unitization: Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads must be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall be of a size to allow for placement of two loads high and wide in a conveyance. The weight capacity of the pallet must be adequate for the load. The preferred commercial expendable pallet is a 40 x 48 inch, 4-way entry pallet although variations may be permitted as dictated by the characteristics of the items being unitized. The load shall be contained in a manner that will permit safe handling during shipment and storage.

Reference No. of Document Being Continued

PIIN/SIIN DAAE20-02-G-0009/BR4Q

MOD/AMD

Page 7 of 8

Name of Offeror or Contractor: GENERAL DYNAMICS LAND SYSTEMS INC.

(g) Marking:

- (1) All unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129P(2), dated 10 Feb 2004, including bar coding. The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract/order or not. Special markings include, but are not limited to, Shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive materiel will not identify the nature of the materiel.
- (2) Contractors and vendors shall apply identification and address markings with bar codes in accordance with this standard. For shipments moving to overseas locations and for mobile deployable units, the in-the-clear address must also include the host country geographic address and the APO/FPO address. A Military Shipment Label (MSL) is required for all shipments except contractor to contractor. The MSL will include both linear and 2D bar codes per the standard. DVD shipment documentation must also be marked with additional bar codes. The DD Form 250 or the commercial packing list shall have additional issue/receipt bar coding applied as per Direct Vendor Delivery Shipments in the standard (except for deliveries to DLA Distribution Depots, e.g. New Cumberland, San Joaquin, Red River, Anniston). Packing lists are required in accordance with the Standard, see paragraph 5.3
- (3) Contractor to contractor shipments shall have the address markings applied to the identification marked side of the exterior shipping container or to the unitized load markings. The following shall be marked "FROM: name and address of consignor and TO: name and address of consignee".
- (4) Computer Automated Transportation Tool (CATT). The following website provides detailed instructions for downloading and installing the Military Shipment Label/Issue Receipt Document (CATT MSL/IRRD) software that will generate a Military Shipping Label to include the required Code 39 and 2D(PDF417) bar codes on the label: http://www.asset-trak.com/catt/msl_irrd/mslirrdmain.htm> This program was developed by the Army and is free to those with government contracts. Two contractors have introduced a version of the MSL software that can be purchased by contractors. Both programs produce labels that appear to be in compliance with the requirements of MIL-STD-129P. Contractors are MILPAC (http://easysoftcorp.com/). Ensure that the ship to and mark for in-the-clear delivery address is complete including: consignees name, organization, department name, office, building, room, street address, city, state, country code, & DODAAC.

(h) Hazardous Materials(As applicable):

- (1) Hazardous Materials is defined as a substance, or waste which has been determined by the Secretary of Transportation to be capable of posing an unreasonable risk to health, safety, and property when transported in commerce and which has been so designated. (This includes all items listed as hazardous in Titles 29, 40 and 49 CFR and other applicable modal regulations effective at the time of shipment.)
- (2) Packaging and marking for hazardous material shall comply with the requirements herein for the mode of transport and the applicable performance packaging contained in the following documents:

International Air Transport Association (IATA) Dangerous Goods Regulations International Maritime Dangerous Goods Code (IMDG) Code of Federal Regulations (CFR) Title 29, Title 40 and Title 49 Joint Service Regulation AFJMAN24-204/TM38-250/NAVSUPPUB 505/MCO P4030.19/DLAM 4145.3 (for military air shipments).

- (3) If the shipment originates from outside the continental United States, the shipment shall be prepared in accordance with the United Nations Recommendations on the Transport of Dangerous Goods in a manner acceptable to the Competent Authority of the nation of origin and in accordance with regulations of all applicable carriers.
- (4) A Product Material Safety Data Sheets (MSDS) is required to be included with every unit pack and intermediate container and shall be included with the packing list inside the sealed pouch attached to the outside of the package.
- (i) Heat Treatment and Marking of Wood Packaging Materials: Boxes/pallets and any wood used as inner packaging made of nonmanufactured wood shall be heat-treated. All non-manufactured wood used in packaging shall be heat treated to a core temperature of 56 degrees Celsius for a minimum of 30 minutes. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall be affiliated with an inspection agency accredited by the board of review of the American Lumber Standard Committee. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall ensure traceability to the original source of heat treatment. Marking. Each box/pallet shall be marked to show the conformance to the International Plant Protection Convention Standard. The quality mark shall be placed on both ends of the outer packaging, between the end cleats or end battens; on two sides of the pallet. Foreign manufacturers shall have the heat treatment of non-manufactured wood products verified in accordance with their National Plant Protection Organizations compliance program.
- (j) Quality Assurance: The contractor is responsible for establishing a quality system. Full consideration to examinations, inspections, and tests will be given to ensure the acceptability of the commercial package.

CONTINUATION SHEET	Reference No. of Document Being Continued	Page 8 of 8
CONTINUATION SHEET	PIIN/SIIN DAAE20-02-G-0009/BR4Q MOD/AMD	

Name of Offeror or Contractor: General Dynamics land systems inc.

(k) SUPPLEMENTAL INSTRUCTIONS: -2-

[End of Clause]

2 52.217-4001 SEPARATELY PRICED OPTION FOR INCREASED QUANTITY APR/1997 (TACOM)

- (a) The Government hereby reserves the right to increase the quantity of the contract item up to an additional quantity of 20 units. The unit price for such option quantity shall be as set forth in CLIN 0002AA. This option may be exercised by the Government at any time, but in any event not later than 150 days after AWARD. In addition, such option may be exercised in increments, subject to the stated total additional quantity limitations, price(s), and the above-stated time for exercise of the option.
- (b) Delivery of the items added by the exercise of this option shall continue immediately after, and at the same rate as, delivery of like items called for under this contract, unless the parties hereto otherwise agree.
- (c) Additionally, prior to the expiration of the original option period identified in paragraph (a) above, the Government may seek a bilateral extension of the option period for an additional period not to exceed 90 days from the expiration date of the original option period.

[End of Clause]